

CURRICULUM VITAE

Cognome e nome:	Cannita Katia
Luogo e data di nascita	Pescara 15/01/67
Cittadinanza	Italiana
Stato civile:	Coniugata
Attuale impiego:	Dirigente Medico I livello U.O Oncologia Medica Presidio Ospedaliero S.Salvatore-L'Aquila
Indirizzo di residenza e di domicilio:	Via Di Bernardo,5 64100 Teramo

Curriculum degli Studi

1984	Maturità Magistrale con il massimo dei voti (60/60)
1985	Anno integrativo
1993	Laurea in Medicina e Chirurgia con 110/110 presso L'Università degli Studi di L'Aquila discutendo una tesi dal titolo: " Utilizzo dell'interferon nel trattamento delle emopatie".
1993	Abilitazione all'esercizio della professione medico - chirurgo.
1997	Specializzazione in Oncologia con 50/50 e lode presso L'Università degli Studi di L'Aquila.
1998	Vincitrice del concorso per Dottorato di Ricerca in "Tecniche di diagnostica molecolare delle neoplasie ereditarie e terapia genica".

- 2000 Consegue idoneità concorso per Dirigente Medico I livello disciplina Oncologia c/o O.C di Teramo.
- 2001 Luglio 01 :Vincitrice del concorso per Dirigente Medico I livello disciplina Oncologia
c/o O. C. S.Salvatore di L'Aquila.
- 2001 Consegue il titolo di Dottore di Ricerca c/o Facoltà di Medicina dell'Università di Chieti con il massimo dei voti.

Curriculum scientifico e professionale

- 1991 - 1993 Studente interno presso la Semeiotica medica, Università degli Studi di L'Aquila.
- 1993 -1997 Frequenta come specializzanda il Dipartimento di Medicina Sperimentale, Università degli Studi di L'Aquila
- 1997 Incarico del Consiglio della Facoltà di Medicina e Chirurgia dell'Università di L'Aquila a svolgere attività didattica insegnamento di Oncologia Medica al corso di laurea in Medicina e Chirurgia come cultore della materia.
- 2001 Da febbraio presta servizio come Dirigente medico di I livello U.O. di Oncologia c/o Presidio ospedaliero di Giulianova (ASL TE) con contratto a tempo determinato.
- Nel maggio 01 viene assunta come Dirigente medico di I livello a tempo indeterminato c/o il medesimo presidio ospedaliero.
- Luglio 2001 vincitrice di concorso pubblico ed esami c/o ASL01 L'Aquila come dirigente medico disciplina di oncologia.
- Nel settembre 01 viene assunta a tempo indeterminato come Dirigente medico di I livello c/o U.O. di Oncologia Medica - Presidio ospedaliero di L'Aquila.

Elenco pubblicazioni di maggior rilievo:

[Dose-Dense Nonpegylated Liposomal Doxorubicin and Docetaxel Combination in Breast Cancer: Dose-Finding Study](#)

Ricevuto R, Cocciolone V, Mancini M, Cannita K et al.

Oncologist 2014 in press

[Bioclinical Parameters Driving Decision-Making of Subsequent Lines of Treatment in Metastatic Castration-Resistant Prostate Cancer.](#)

Irelli A, Bruera G, **Cannita K**, Palluzzi E, Gravina GL, Festuccia C, Ficorella C, Ricevuto E.

Biomed Res Int. 2014;2014:909623. Epub 2014 May 28. Review.

[Multidisciplinary management of hepatocellular carcinoma in clinical practice.](#)

Bruera G, **Cannita K**, Giordano AV, Manetta R, Vicentini R, Carducci S, Saltarelli P, Iapadre N, Coletti G, Ficorella C, Ricevuto E.

Biomed Res Int. 2014;2014:806391. doi: 10.1155/2014/806391. Epub 2014 May 8.

[Prognostic relevance of KRAS genotype in metastatic colorectal cancer patients unfit for FIr-B/FOx intensive regimen.](#)

Bruera G, **Cannita K**, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.

Int J Oncol. 2014 Jun;44(6):1820-30. doi: 10.3892/ijo.2014.2369. Epub 2014 Apr 4.

[Endocrine resistance in breast cancer: biological mechanisms and clinical implications to develop new treatment strategies](#)

K. Cannita, V. Cocciolone, G. Bruera, C. Ficorella, E. Ricevuto
Medical Oncology, S. Salvatore Hospital, University of L'Aquila, L'Aquila, Italy
Reviews in Oncology 2013; 1 (4): 141-149

[Effectiveness and safety of intensive triplet chemotherapy plus bevacizumab, FIr-B/FOx, in young-elderly metastatic colorectal cancer patients.](#)

Bruera G, **Cannita K**, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.

Biomed Res Int. 2013;2013:143273. doi: 10.1155/2013/143273. Epub 2013 Nov 6.

[Differential prognosis of metastatic colorectal cancer patients post-progression to first-line triplet chemotherapy plus bevacizumab, FIr-B/FOx, according to second-line treatment and KRAS genotype.](#)

Bruera G, **Cannita K**, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.

Int J Oncol. 2014 Jan;44(1):17-26. doi: 10.3892/ijo.2013.2179. Epub 2013 Nov 15.

[Endocrine resistance in breast cancer: biological mechanism and clinical implications to develop new treatment strategies.](#)

K. Cannita, V. Cocciolone, G. Bruera, C. Ficorella, E. Ricevuto
Review in Oncology 2013; 1 (4): 141-149

[Worse prognosis of KRAS c.35 G > A mutant metastatic colorectal cancer \(MCRC\) patients treated with intensive triplet chemotherapy plus bevacizumab \(FIr-B/FOx\).](#)

Bruera G, **Cannita K**, Di Giacomo D, Lamy A, Frébourg T, Sabourin JC, Tosi M, Alesse E, Ficorella C, Ricevuto E.

BMC Med. 2013 Mar 4;11:59. doi: 10.1186/1741-7015-11-59.

[Prognostic value of KRAS genotype in metastatic colorectal cancer \(MCRC\) patients treated with intensive triplet chemotherapy plus bevacizumab \(Flr-B/FOx\) according to extension of metastatic disease.](#)

Bruera G, **Cannita** K, Di Giacomo D, Lamy A, Troncione G, Dal Mas A, Coletti G, Frébourg T, Sabourin JC, Tosi M, Ficorella C, Ricevuto E.
BMC Med. 2012 Nov 8;10:135. doi: 10.1186/1741-7015-10-135.

[Triplet chemotherapy in patients with metastatic colorectal cancer: toward the best way to safely administer a highly active regimen in clinical practice.](#)

Ficorella C, Bruera G, **Cannita** K, Porzio G, Baldi PL, Tinari N, Natoli C, Ricevuto E.
Clin Colorectal Cancer. 2012 Dec;11(4):229-37. doi: 10.1016/j.clcc.2012.05.001. Epub 2012 Jun 12. Review.

[Effectiveness of liver metastasectomies in patients with metastatic colorectal cancer treated with Flr-B/FOx triplet chemotherapy plus bevacizumab.](#)

Bruera G, **Cannita** K, Giuliani F, Lanfiuti Baldi P, Vicentini R, Marchetti P, Nuzzo G, Antonucci A, Ficorella C, Ricevuto E.
Clin Colorectal Cancer. 2012 Jun;11(2):119-26. doi: 10.1016/j.clcc.2011.11.002. Epub 2011 Dec 27

[Prognostic relevance of KRAS genotype in metastatic colorectal cancer patients unfit for Flr-B/FOx intensive regimen.](#)

Bruera G, **Cannita** K, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.
Int J Oncol. 2014 Jun;44(6):1820-30. doi: 10.3892/ijo.2014.2369. Epub 2014 Apr 4.

[Effectiveness and safety of intensive triplet chemotherapy plus bevacizumab, Flr-B/FOx, in young-elderly metastatic colorectal cancer patients.](#)

Bruera G, **Cannita** K, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.
Biomed Res Int. 2013;2013:143273. doi: 10.1155/2013/143273. Epub 2013 Nov 6.

[Differential prognosis of metastatic colorectal cancer patients post-progression to first-line triplet chemotherapy plus bevacizumab, Flr-B/FOx, according to second-line treatment and KRAS genotype.](#)

Bruera G, **Cannita** K, Giordano AV, Vicentini R, Ficorella C, Ricevuto E.
Int J Oncol. 2014 Jan;44(1):17-26. doi: 10.3892/ijo.2013.2179. Epub 2013 Nov 15.

[Worse prognosis of KRAS c.35 G > A mutant metastatic colorectal cancer \(MCRC\) patients treated with intensive triplet chemotherapy plus bevacizumab \(Flr-B/FOx\).](#)

Bruera G, **Cannita** K, Di Giacomo D, Lamy A, Frébourg T, Sabourin JC, Tosi M, Alesse E, Ficorella C, Ricevuto E.
BMC Med. 2013 Mar 4;11:59. doi: 10.1186/1741-7015-11-59.

[Prognostic value of KRAS genotype in metastatic colorectal cancer \(MCRC\) patients treated with intensive triplet chemotherapy plus bevacizumab \(Flr-B/FOx\) according to extension of metastatic disease.](#)

Bruera G, **Cannita** K, Di Giacomo D, Lamy A, Troncione G, Dal Mas A, Coletti G, Frébourg T, Sabourin JC, Tosi M, Ficorella C, Ricevuto E.
BMC Med. 2012 Nov 8;10:135. doi: 10.1186/1741-7015-10-135.

[Triplet chemotherapy in patients with metastatic colorectal cancer: toward the best way to safely administer a highly active regimen in clinical practice.](#)

Ficorella C, Bruera G, **Cannita** K, Porzio G, Baldi PL, Tinari N, Natoli C, Ricevuto E.
Clin Colorectal Cancer. 2012 Dec;11(4):229-37. doi: 10.1016/j.clcc.2012.05.001. Epub 2012 Jun 12. Review.

[Effectiveness of liver metastasectomies in patients with metastatic colorectal cancer treated with Flr-B/FOx triplet chemotherapy plus bevacizumab.](#)

Bruera G, **Cannita** K, Giuliani F, Lanfiuti Baldi P, Vicentini R, Marchetti P, Nuzzo G, Antonucci A, Ficorella C, Ricevuto E.
Clin Colorectal Cancer. 2012 Jun;11(2):119-26. doi: 10.1016/j.clcc.2011.11.002. Epub 2011 Dec 27

[Modulation of GemOx chemotherapy according to CIRS in elderly patients with advanced pancreatic cancer.](#)

Tudini M, Palluzzi E, **Cannita K**, Mancini M, Santomaggio A, Bruera G, Baldi PL, Pelliccione M, Ricevuto E, Ficorella C.

Oncol Rep. 2011 Oct 21. doi: 10.3892/or.2011.1517. [Epub ahead of print]

[Home care for cancer patients after an earthquake: the experience of the "L'Aquila per la Vita" Home Care Unit.](#)

Porzio G, Aielli F, Verna L, Aloisi P, Guadalupi F, **Cannita K**, Ricevuto E, Ficorella C.

J Pain Symptom Manage. 2011 Sep;42(3):e1-4. No abstract available.

["Poker" association of weekly alternating 5-fluorouracil, irinotecan, bevacizumab and oxaliplatin \(Flr-B/FOX\) in first line treatment of metastatic colorectal cancer: a phase II study.](#)

Bruera G, Santomaggio A, **Cannita K**, Baldi PL, Tudini M, De Galitiis F, Mancini M, Marchetti P, Antonucci A, Ficorella C, Ricevuto E.

BMC Cancer. 2010 Oct 19;10:567.

[Triplet schedule of weekly 5-fluorouracil and alternating irinotecan or oxaliplatin in advanced colorectal cancer: a dose-finding and phase II study.](#)

Morelli MF, Santomaggio A, Ricevuto E, **Cannita K**, De Galitiis F, Tudini M, Bruera G, Mancini M, Pelliccione M, Calista F, Guglielmi F, Martella F, Lanfiuti Baldi P, Porzio G, Russo A, Gebbia N, Iacobelli S, Marchetti P, Ficorella C.

[Physical exercise and quality of life in breast cancer survivors.](#)

Valenti M, Porzio G, Aielli F, Verna L, **Cannita K**, Manno R, Masedu F, Marchetti P, Ficorella C.

Int J Med Sci. 2008 Jan 15;5(1):24-8.

[Morphine in the treatment of incident pain triggered by vinorelbine infusion.](#)

Porzio G, Aielli F, Verna L, Ciccone S, Santomaggio A, **Cannita K**, Ficorella C.

J Pain Symptom Manage. 2008 Mar;35(3):238-9. Epub 2008 Jan 22. No abstract available.

[Timed-flat infusion of 5-fluorouracil associated with docetaxel as first-line treatment of patients with metastatic breast cancer.](#)

Rispoli AI, Morelli MF, Ricevuto E, **Cannita K**, Santomaggio A, Mancini M, Tudini M, Cianci G, Porzio G, Lanfiuti Baldi P, Di Rocco CZ, Tinari N, Iacobelli S, Marchetti P, Ficorella C.

Breast J. 2008 Jan-Feb;14(1):116-7. Epub 2007 Dec 13. No abstract available.

[Effective analgesic score: a "marker" of the effects of chemotherapy on pain in advanced cancer patients?](#)

Porzio G, Aielli F, Verna L, Shodia-E-Razavi G, Tudini M, Cannita K, Ficorella C.

J Pain Symptom Manage. 2007 Oct;34(4):339-42. Epub 2007 Aug 20. No abstract available.

[Efficacy of pregabalin in the management of cetuximab-related itch.](#)

Porzio G, Aielli F, Verna L, Porto C, Tudini M, Cannita K, Ficarella C.

J Pain Symptom Manage. 2006 Nov;32(5):397-8. No abstract available.

[Novel P53 mutations detected by FAMA in colorectal cancers.](#)

De Galitiis F, Cannita K, Tessitore A, Martella F, Di Rocco ZC, Russo A, Adamo V, Iacobelli S, Martinotti S, Marchetti P, Ficarella C, Ricevuto E; Consorzio Interuniversitario Nazionale Bio-Oncologia. Ann Oncol. 2006 Jun;17 Suppl 7:vii78-83.

[Increased tolerability of bimonthly 12-hour timed flat infusion 5-fluorouracil/irinotecan regimen in advanced colorectal cancer: A dose-finding study.](#)

Ficarella C, Ricevuto E, Morelli MF, Morese R, Cannita K, Cianci G, Porzio G, Di Rocco ZC, De Galitiis F, De Tursi M, Tinari N, Iacobelli S, Marchetti P.

Oncol Rep. 2006 May;15(5):1345-50.

[Gabapentin in the treatment of severe sweating experienced by advanced cancer patients.](#)

Porzio G, Aielli F, Verna L, Porto C, Aloisi P, Cannita K, Ricevuto E, Marchetti P, Ficarella C.

Support Care Cancer. 2006 Apr;14(4):389-91. Epub 2006 Jan 10.

[Topical morphine in the treatment of painful ulcers.](#)

Porzio G, Aielli F, Verna L, Cannita K, Marchetti P, Ficarella C.

J Pain Symptom Manage. 2005 Oct;30(4):304-5. No abstract available.

[Assessment and treatment of symptoms among Italian medical oncologists.](#)

Porzio G, Valenti M, Aielli F, Verna L, Ricevuto E, Rispoli AI, Cannita K, Marchetti P, Ficarella C.

Support Care Cancer. 2005 Nov;13(11):865-9. Epub 2005 Apr 29.

[The Supportive Care Task Force at the University of L'Aquila: 2-years experience.](#)

Porzio G, Ricevuto E, Aielli F, Verna L, Cannita K, Pollice R, Aloisi P, Porto C, Marchetti P, Ficarella C.

Support Care Cancer. 2005 Jun;13(6):351-5. Epub 2005 Feb 23.

[Timed flat infusion of 5-fluorouracil increases the tolerability of 5-fluorouracil/docetaxel regimen in metastatic breast cancer: a dose-finding study.](#)

Ficarella C, Morelli MF, Ricevuto E, Cannita K, Porzio G, Baldi PL, Cianci G, DI Rocco ZC, Natoli C, Tinari N, DE Galitiis F, Calista F, Marchetti P.

Br J Cancer. 2004 Aug 16;91(4):618-20.

[Pruritus in a patient with advanced cancer successfully treated with continuous infusion of granisetron.](#)

Porzio G, Aielli F, Narducci F, Cannita K, Piccolo D, Marchetti P.

Support Care Cancer. 2004 Mar;12(3):208-9. Epub 2004 Jan 21. PMID: 14735336 [PubMed - indexed for MEDLINE][Related articles](#)

[\[Can analysis of the molecular status of the p53 gene contribute to improving the therapeutic strategy for breast carcinoma?\]](#)

Ricevuto E, Marchetti P, Cannita K, De Galitiis F, Di Rocco ZC, Tessitore A, Martella F, Bisegna R, Porzio G, Bafile A, Vicentini R, Resta V, Mattucci S, Ventura T, Martinotti S, de Rubeis GP, Ficorella C. Tumori. 2003 Jul-Aug;89(4 Suppl):197-9. Review. Italian.

[\[Prophylactic options in patients with 5-fluorouracil-associated cardiotoxicity.\]](#)

Cianci G, Morelli MF, Cannita K, Morese R, Ricevuto E, Di Rocco ZC, Porzio G, Lanfiuti Baldi P, Ficorella C.

Br J Cancer. 2003 May 19;88(10):1507-9.

[\[Prognostic value of p53 molecular status in high-risk primary breast cancer.\]](#)

Marchetti P, Cannita K, Ricevuto E, De Galitiis F, Di Rocco ZC, Tessitore A, Bisegna R, Porzio G, De Rubeis GP, Ventura T, Martinotti S, Ficorella C.

Ann Oncol. 2003 May;14(5):704-8

[\[P16 hypermethylation contributes to the characterization of gene inactivation profiles in primary gastric cancer.\]](#)

Ficorella C, Cannita K, Ricevuto E, Toniato E, Fusco C, Sinopoli NT, De Galitiis F, Di Rocco ZC, Porzio G, Frati L, Gulino A, Martinotti S, Marchetti P.

Oncol Rep. 2003 Jan-Feb;10(1):169-73

[\[Familiarity and heredity of tumors in function of an early surgical therapeutic approach\]](#)

Ricevuto E, Di Rocco ZC, Cianci G, Bisegna R, Casilli F, De Galitiis F, Cannita K, Calista F, Porzio G, Bafile A, Vicentini R, Resta V, De Rubeis G, Martinotti S, Ficorella C, Marchetti P.

Suppl Tumori. 2002 May-Jun;1(3):S89-91. Review. Italian. No abstract available.

[\[High sensitivity of detection of TP53 somatic mutations by fluorescence-assisted mismatch analysis.\]](#)

Tessitore A, Di Rocco ZC, Cannita K, Ricevuto E, Toniato E, Tosi M, Ficorella C, Frati L, Gulino A, Marchetti P, Martinotti S.

Genes Chromosomes Cancer. 2002 Sep;35(1):86-91

[\[Oxaliplatin: preclinical in vitro studies\]](#)

Marchetti P, Carlo G, Cappellini A, Porzio G, Ricevuto E, Cannita K, Ficorella C.

Tumori. 2001 Nov-Dec;87(6):A22-4. Review. Italian. No abstract available

[\[The adjuvant therapy of colonic carcinoma in old age\]](#)

Ficorella C, Cannita K, Ricevuto E, Porzio G, Trapasso T, De Galitiis F, Gallà DA, Morese R, D'Addario M, Marchetti P.

Minerva Med. 1999 Jul-Aug;90(7-8):232-3. Italian. No abstract available

[p16 \(INK4a, MTS-1\) gene polymorphism and methylation status in human pituitary tumours.](#)

Jaffrain-Rea ML, Ferretti E, Toniato E, Cannita K, Santoro A, Di Stefano D, Ricevuto E, Maroder M, Tamburrano G, Cantore G, Gulino A, Martinotti S.

Clin Endocrinol (Oxf). 1999 Sep;51(3):317-25

[Molecular diagnosis of p53 mutations in gastric carcinoma by touch preparation.](#)

Ricevuto E, Ficorella C, Fusco C, Cannita K, Tessitore A, Toniato E, Gabriele A, Frati L, Marchetti P, Gulino A, Martinotti S.

Am J Pathol. 1996 Feb;148(2):405-13.

L'Aquila 13/7/14

Dott.ssa Katia Cannita